
TO-220 PNP Silicon PNP transistor in a TO-220 Plastic Package.

- MJE15032

High DC current gain, High V_{CEO}, High f_T, Complementary pair with MJE15032.

Designed for us as high-frequency drivers in audio amplifiers.







PIN1 Base PIN 2 Collector PIN 3 Emitter

See Marking Instructions.

Parameter	Symbol


A
C
B
3°
a
a2
b1
C1
a1
3°




BR

15033

****

Note:

BR:	Company Code
15033:	Product Type.
****:	Lot No. Code, code change with Lot No.



					Note:
1	25	150	60	90sec;	1.Preheating:25~150 , Time:60~90sec.
2	255±5			5±0.5sec;	2.Peak Temp.:255±5 , Duration:5±0.5sec.
3		2	10	/sec.	3. Cooling Speed: 2~10 /sec.

270±5	10±1 sec.	Temp.:270±5	Time:10±1 sec

/ BULK

Package Type 封装形式	Units 包装数量					Dimension 包装尺寸 (unit: mm^3)		
	只袋	袋盒	只盒	盒箱	只箱	袋	盒	箱

/ TUBE

Package Type 封装形式	Units 包装数量					Dimension 包装尺寸 (unit: mm^3)		
	只套管	套管盒	只盒	盒箱	只箱	套管	盒	箱